
Universe	Sport
Type	Verticality
Category	Carabiners And Quickdraws
Subcategory	Quickdraws



ANGE FINESSE

Designed for alpine climbing and situations where every gram counts, the ANGE FINESSE quickdraw is ultra-light, compact and durable. Featuring Petzl's MonoFil Keylock technology and an H-shaped cross-section, ANGE carabiners are very lightweight and offer an optimal strength/weight ratio. Strong and ergonomic, the FINESSE sling provides a good grip. The STRING quickdraw sling protector maintains the proper orientation of the carabiner making it easier to clip. Available in two lengths and two carabiner sizes.

Short Description Ultra-light quickdraw





Selling Points

- Ultra-lightweight and durable quickdraw:
 - ultra-light ANGE carabiners with MonoFil gate
 - lightweight and compact FINESSE quickdraw sling. The ergonomic shape makes it easier to grab
 - size and strength/weight ratio of the carabiner are optimized, thanks to its specific profile and the H-shaped cross-section
 - the MonoFil Keylock gate ensures smoother opening and closing of the carabiner and a much longer lifetime compared to traditional wire gate carabiners
- Efficient to use:
 - the deflector works with the shape of the carabiner to promote proper positioning of the carabiner on the major axis, and helps with clipping
 - the tabs on the bottom of the carabiner help keep the STRING in place to better align the quickdraw sling along its major axis
 - the STRING quickdraw sling protector helps maintain the proper orientation of the carabiner and protect the carabiner attachment loop from wear
- Available in four versions to meet a variety of user needs:
 - ultra-light version: 10 cm sling with two ANGE S carabiners
 - compact version for managing rope drag: 17 cm sling with two ANGE S carabiners
 - compact version for easier clipping: 17 cm sling with one ANGE S carabiner on the anchor end and one ANGE L carabiner on the rope end
 - ergonomic version for easier clipping: 17 cm sling with two ANGE L carabiners

Specification

- ANGE S breaking strength:
 - major axis: 20 kN
 - minor axis: 7 kN
 - open gate: 9 kN
 - gate opening: 23 mm
 - ANGE L strength:
 - major axis: 22 kN
 - minor axis: 7 kN
 - open gate: 10 kN
 - Gate opening: 26mm
 - Capacity: 21mm
 - Material(s): aluminum carabiners, HDPE slings with nylon stitching, rubber STRING
 - Certification(s):
 - carabiner: CE EN 12275 type B, UIAA
 - sling: CE EN 566, UIAA
-

Specifications by reference

Reference(s)	M057AA00	M057AA01	M057BA00	M057CA00
				
Length of sling	10 cm	17 cm	17 cm	17 cm
Version	ANGE S on top and bottom	ANGE S on top and bottom	ANGE S carabiner on top and ANGE L on bottom	ANGE L on top and bottom
Strength	22 kN	22 kN	22 kN	22 kN
Weight	63 g	66 g	72 g	78 g
Made in	FR	FR	FR	FR
Guarantee	3 years	3 years	3 years	3 years
Inner Pack Count	1	1	1	1
Quantity Per Box	10	10	10	10
EAN	3342540825192	3342540825208	3342540825512	3342540825529

Spare part(s)

ANGE S
ANGE L
FINESSE
STRING