

Universe	Sport
Type	Verticality
Category	Belay Devices And Descenders
Subcategory	Assisted Blocking Belay Devices




GRIGRI®

Designed for all users, the GRIGRI is a belay device with assisted blocking for belaying both in the gym and at the crag. The cam-assisted blocking function makes belaying more convenient when a climber is working a route or when catching a fall. The design of the handled camming mechanism enables exceptional descent control. Compact and lightweight, it can be used with all single ropes from 8.5 to 11 mm.



Rope installation diagram engraved on both the inside and outside of the device.



Easily controlled and progressive rope feed provides a smooth and comfortable descent.



Compatible with all 8.5 to 11 mm dynamic single ropes and optimized for those 8.9 to 10.5 mm.

Short Description Belay device with cam-assisted blocking

Selling Points

- Belay device with cam-assisted blocking, designed for the gym and crag:
 - feeding slack and catching falls are accomplished using standard belay techniques, always keeping a hand on the brake side of the rope
 - easier belaying, thanks to its cam-assisted blocking: when the climber falls or is at rest, the rope tightens, making the cam pivot to pinch and block the rope
 - cam-assisted blocking offers leeway for the brake-side hand position, regardless of the angle between the climber side and brake side of the ropes
 - rope installation diagram engraved on both the inside and outside of the device
- Exceptional convenience when lowering:
 - the ergonomic handle allows you to easily unblock the rope and lower someone
 - easily controlled and progressive rope feed provides smooth and comfortable descent
 - 3:1 mechanical advantage of the handled camming mechanism helps control rope feed on small-diameter ropes and requires less effort on the handle for large-diameter ropes
- Intended for all users:
 - simple to use for belaying both lead and top-rope climbers
 - optimally balanced design: lightweight (175 g), compact and durable
 - compatible with all 8.5 to 11 mm dynamic single ropes and optimized for those 8.9 to 10.5 mm

Specification

- Weight: 175g
 - Rope compatibility: 8.5 to 11 mm single rope
 - Material(s): aluminum side plates, stainless steel cam and friction plate, reinforced nylon handle
 - Certification(s): CE EN 15151-1, UIAA
-

Specifications by reference

Reference(s)	D014BA00	D014BA01	D014BA02
			
Color(s)	gray	red/orange	blue
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Inner Pack Count	1	1	1
Quantity Per Box	17	17	17
EAN	3342540825536	3342540825543	3342540825550

Related product(s) Sm'D
 ARIAL® 9.5 mm
 VOLTA® 9.2 mm